ELSEVIER

Journal of Organometallic Chemistry 583 (1999) 169

Journal of Organometallic Chemistry

Author Index of Volume 583

Akhmedov, N.G., 136
Albano, V.G., 28

Bacchi, A., 94
Baroni, F., 106
Bays, J.T., 152
Belli Dell' Amico, D., 162
Belluco, U., 131
Bertani, R., 131, 146
Bitterwolf, T.E., 152
Bocelli, G., 106
Böttcher, D., 34
Busetto, L., 28

Calderazzo, F., 162
Capella, L., 111
Carcelli, M., 94
Carollo, L., 80
Carvalho, M.F.N.N., 56
Catellani, M., 106
Chien, J.C.W., 11
Costa, M., 94

del Río, I., 69
Dittmann, M., 162
Dötz, K.H., 34
Duarte, M.T., 56

Englert, U., 47
Ernst, R.D., 42

Floris, B., 80
Fochi, A., 94
Fuess, H., 56

Galvão, A.M., 56
Gambaro, A., 126
Ganis, P., 126
Ghelli, S., 106
Ghidini, P., 94
Gómez-García, R., 86
Gonçalves, I.S., 3
Gossage, R.A., 69

Haider, J.J., 3
Hellier, P., 111
Henderson, R., 56
Herdtweck, E., 3
Herrmann, W.A., 3
Hosang, A., 47
Houbrechts, S., 111

Jaitner, P., 120
Jaouen, G., 63
Jendro, M., 34

Kreißl, F.R., 120
Kühn, F.E., 3

Labella, L., 162
Laikov, D.N., 136
Lehn, J.-S., 63
Lehotkay, T., 120
Leporati, E., 94
Liable-Sands, L., 42, 152
Licandro, E., 111
Lopes, A.D., 3
Lorenz, A., 47
Lutz, M., 69

Maiorana, S., 111
Malyugina, S.G., 136
Manoli, F., 126
Marchetti, F., 162
Masi, M., 94
Meneghetti, F., 131, 146
Michelin, R.A., 131
Monari, M., 28
Morel, P., 63
Mozzon, M., 131
Mstislavsky, V.I., 136

Oprunenko, Y.F., 136

Pandolfo, L., 146
Papagni, A., 111
Pelagatti, P., 94
Pelizzi, C., 94
Pelizzi, G., 94
Persoons, A., 111
Polimeno, A., 126
Pombeiro, A.J.L., 56

Rausch, M.D., 11
Ready, T.E., 11
Rheingold, A.L., 42, 152
Romão, C.C., 3
Royo, P., 86
Roznyatovsky, V.A., 136
Ruppli, U., 47

Salzer, A., 47
Santi, S., 126
Saygh, A.A., 152
Scallorn, W.B., 152
Scarmagnan, A., 146
Schweda, E., 162
Shade, J.E., 152
Spek, A.L., 69
Strähle, J., 162
Svoboda, I., 56

Tomaszewski, R., 42
Top, S., 63

Ustynyuk, N.A., 136
Ustynyuk, Y.A., 136

van Koten, G., 69
Venzo, A., 126

Weiss, C.A., 152
Wilson, A.M., 42
Wurst, K., 120

Zanotti, V., 28
Zanotto, L., 146

PII: S0022-328X(99)00247-8

ELSEVIER

Journal of Organometallic Chemistry 583 (1999) 171–174

Journal of Organometallic Chemistry

Subject Index of Volume 583

Ab initio calculations
Experimental evidence at atomic resolution of intra- and intermolecular CO···π(arene) bond interactions, 126
Acetoxymercuration
Metallation of alkynes: Part 10. Acetoxymercuration of arylferrocenylethynes, 80
Alkylation
Kinetic study of the alkylation of cyanide at $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$. Crystal structures of $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$ and $trans\text{-}[Re(CN)_2(dppe)_2]$, 56
Alkynyl
Evidence for platinum(II)–vinylidene complexes and their reactions with water to give hydrocarbons and olefins, 131
Arenechromium tricarbonyl complexes
Regioselective synthesis of π-complexes of substituted polycyclic aromatic compounds. Experimental (NMR) and theoretical (DFT) studies of η^6,η^6-haptotropic rearrangements in naphthalenechromiumtricarbonyl complexes, 136
η^2-Arsinocarbene complexes
Polarity reversal in η^2-phosphinocarbene and η^2-arsinocarbene complexes of tungsten, 120
η^2-Arsinomethanide complexes
Polarity reversal in η^2-phosphinocarbene and η^2-arsinocarbene complexes of tungsten, 120

Binuclear compounds
Reactivity of a binuclear Ru(II) N_2-bridged complex towards phosphines: facile access to novel mono and binuclear phosphorous derivatives. X-ray structural characterization of two unusual binuclear complexes containing 'pincer' ligands: $[\{RuCl_2(\eta^3\text{-}NN'N)\}_2(\mu\text{-}\eta^2\text{-}P_2)]$ (NN'N = 2,6-bis[-(dimethylamino)methyl]pyridine; P_2 = 1,3-bis[(diphenylphosphino)methyl]benzene or 1,3-bis(diphenylphosphino)-propane), 69
Bis-ketenyl derivatives
Reactivity of keteylidenetriphenylphosphorane ($Ph_3PC{=}C{=}O$) with Pt(II) complexes. Evidences of formation of an up to now unknown bis-η^1-ketenyl derivative, 146
Bridging bis-phosphines
Reactivity of a binuclear Ru(II) N_2-bridged complex towards phosphines: facile access to novel mono and binuclear phosphorous derivatives. X-ray structural characterization of two unusual binuclear complexes containing 'pincer' ligands: $[\{RuCl_2(\eta^3\text{-}NN'N)\}_2(\mu\text{-}\eta^2\text{-}P_2)]$ (NN'N = 2,6-bis[-(dimethylamino)methyl]pyridine; P_2 = 1,3-bis[(diphenylphosphino)methyl]benzene or 1,3-bis(diphenylphosphino)-propane), 69
Bridging ligands
The reactivity of complexed carbocycles XII: mono- and dimetallic cyclooctatetraene complexes of manganese and rhenium: synthesis, structure and dynamic behaviour, 47

Carbene complexes
Reactions of complex ligands: Part 84. Chiral diene–dienophile-functionalized aminocarbene complexes of molybdenum: synthesis and intramolecular Diels–Alder reaction, 34
Carbonyl complexes
Synthesis of thiolate and phosphido bridged iron–manganese complexes; molecular structure of $cis\text{-}[FeMn(\mu\text{-}CO)(\mu\text{-}SEt)(CO)_2(Cp)(C_5H_4Me)]$, 28
Chromium allyl
Synthesis, Nujol matrix and solution photochemistry of $M(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$ (where M = Cr or Mo): molecular structures of $Cr(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, $Mo(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, and $Mo(CO)[P(C_6H_5)_3][\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, 152
Chromium carbonyl
Double metallation of a molecular tweezers with chromium and visible light-induced metal transfer into the cavity, 106
Conformational analysis
Experimental evidence at atomic resolution of intra- and intermolecular CO···π(arene) bond interactions, 126
Coupling reaction
Synthesis and characterization of a dimeric acetone coupling product with a titanium–pentadienyl complex, 42
Crystal structure
Synthesis of thiolate and phosphido bridged iron–manganese complexes; molecular structure of $cis\text{-}[FeMn(\mu\text{-}CO)(\mu\text{-}SEt)(CO)_2(Cp)(C_5H_4Me)]$, 28
Crystal structures
Bis-acetonitrile(dibromo)dioxomolybdenum(VI) and derivatives: synthesis, reactivity, structures and catalytic applications, 3
Cyanide
Kinetic study of the alkylation of cyanide at $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$. Crystal structures of $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$ and $trans\text{-}[Re(CN)_2(dppe)_2]$, 56
Cycloaddition reactions
Reactions of complex ligands: Part 84. Chiral diene–dienophile-functionalized aminocarbene complexes of molybdenum: synthesis and intramolecular Diels–Alder reaction, 34
Cyclometallation intermediates
Reactivity of a binuclear Ru(II) N_2-bridged complex towards phosphines: facile access to novel mono and binuclear phosphorous derivatives. X-ray structural characterization of two unusual binuclear complexes containing 'pincer' ligands: $[\{RuCl_2(\eta^3\text{-}NN'N)\}_2(\mu\text{-}\eta^2\text{-}P_2)]$ (NN'N = 2,6-bis[-(dimethylamino)methyl]pyridine; P_2 = 1,3-bis[(diphenylphosphino)methyl]benzene or 1,3-bis(diphenylphosphino)-propane), 69
Cyclooctatetraene
The reactivity of complexed carbocycles XII: mono- and dimetallic cyclooctatetraene complexes of manganese and rhenium: synthesis, structure and dynamic behaviour, 47
Cyclopentadienyltricarbonylrhenium(I) carboxylic acid
Synthesis of cyclopentadienyltricarbonylrhenium(I) carboxylic acid from perrhenate, 63

PII: S0022-328X(99)00248-X

Dicyclopentadienyl complexes
Synthesis and reactivity of new mixed dicyclopentadienyl Group 4 metal complexes with the doubly bridged bis(dimethylsilanediyl)-cyclopentadiene-(η^5-cyclopentadienyl) ligand, 86
Diels–Alder reactions
Reactions of complex ligands: Part 84. Chiral diene–dienophile-functionalized aminocarbene complexes of molybdenum: synthesis and intramolecular Diels–Alder reaction, 34
Dimetallic complexes
The reactivity of complexed carbocycles XII: mono- and dimetallic cyclooctatetraene complexes of manganese and rhenium: synthesis, structure and dynamic behaviour, 47
Dinuclear
Synthesis of thiolate and phosphido bridged iron–manganese complexes; molecular structure of *cis*-[FeMn(μ-CO)(μ-SEt)$(CO)_2$(Cp)(C_5H_4Me)], 28

Electrophilic addition
Metallation of alkynes: Part 10. Acetoxymercuration of arylferrocenylethynes, 80

Fast synthesis
Synthesis of cyclopentadienyltricarbonylrhenium(I) carboxylic acid from perrhenate, 63
Ferrocenylethynes
Metallation of alkynes: Part 10. Acetoxymercuration of arylferrocenylethynes, 80
Fischer-type carbene complexes
Synthesis and non-linear properties of conjugated poly-unsaturated amino carbene complexes, 111

Hafnium
Synthesis and reactivity of new mixed dicyclopentadienyl Group 4 metal complexes with the doubly bridged bis(dimethylsilanediyl)-cyclopentadiene-(η^5-cyclopentadienyl) ligand, 86
Haptotropic rearrangement
Synthesis, Nujol matrix and solution photochemistry of $M(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$ (where M = Cr or Mo): molecular structures of $Cr(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, $Mo(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, and $Mo(CO)[P(C_6H_5)_3][\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, 152
Haptotropic rearrangements
Regioselective synthesis of π-complexes of substituted polycyclic aromatic compounds. Experimental (NMR) and theoretical (DFT) studies of η^6,η^6-haptotropic rearrangements in naphthalenechromiumtricarbonyl complexes, 136
Homogeneous catalysis
Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94
Hydrocarbons
Evidence for platinum(II)–vinylidene complexes and their reactions with water to give hydrocarbons and olefins, 131
Hydrogenation
Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94

Indenyl complexes
New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11
Intramolecular cycloaddition
Reactions of complex ligands: Part 84. Chiral diene–dienophile-functionalized aminocarbene complexes of molybdenum: synthesis and intramolecular Diels–Alder reaction, 34
Ion-pairs
New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11
Iron–manganese
Synthesis of thiolate and phosphido bridged iron–manganese complexes; molecular structure of *cis*-[FeMn(μ-CO)(μ-SEt)$(CO)_2$(Cp)(C_5H_4Me)], 28
Isocyanide
Kinetic study of the alkylation of cyanide at $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$. Crystal structures of $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$ and *trans*-$[Re(CN)_2(dppe)_2]$, 56

Ketene
Reactivity of keteylidenetriphenylphosphorane ($Ph_3PC{=}C{=}O$) with Pt(II) complexes. Evidences of formation of an up to now unknown bis-η^1-ketenyl derivative, 146
Ketenyl derivatives
Reactivity of keteylidenetriphenylphosphorane ($Ph_3PC{=}C{=}O$) with Pt(II) complexes. Evidences of formation of an up to now unknown bis-η^1-ketenyl derivative, 146
Ketenylidentriphenylphosphorane
Reactivity of keteylidenetriphenylphosphorane ($Ph_3PC{=}C{=}O$) with Pt(II) complexes. Evidences of formation of an up to now unknown bis-η^1-ketenyl derivative, 146
Kinetic
Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94
Kinetics
Regioselective synthesis of π-complexes of substituted polycyclic aromatic compounds. Experimental (NMR) and theoretical (DFT) studies of η^6,η^6-haptotropic rearrangements in naphthalenechromiumtricarbonyl complexes, 136
Kinetic studies
Kinetic study of the alkylation of cyanide at $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$. Crystal structures of $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$ and *trans*-$[Re(CN)_2(dppe)_2]$, 56

Lithium
New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11

Manganese
The reactivity of complexed carbocycles XII: mono- and dimetallic cyclooctatetraene complexes of manganese and rhenium: synthesis, structure and dynamic behaviour, 47
Matrix photochemistry
Synthesis, Nujol matrix and solution photochemistry of $M(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$ (where M = Cr or Mo): molecular structures of $Cr(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, $Mo(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, and $Mo(CO)[P(C_6H_5)_3][\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, 152
Mechanism
Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94
Molecular tweezers
Double metallation of a molecular tweezers with chromium and visible light-induced metal transfer into the cavity, 106
Molybdenum allyl
Synthesis, Nujol matrix and solution photochemistry of $M(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$ (where M = Cr or Mo): molecular structures of $Cr(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, $Mo(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, and $Mo(CO)[P(C_6H_5)_3][\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, 152
Molybdenum complexes
Bis-acetonitrile(dibromo)dioxomolybdenum(VI) and derivatives: synthesis, reactivity, structures and catalytic applications, 3

Reactions of complex ligands: Part 84. Chiral diene–dienophile-functionalized aminocarbene complexes of molybdenum: synthesis and intramolecular Diels–Alder reaction, 34
N-base adducts
Bis-acetonitrile(dibromo)dioxomolybdenum(VI) and derivatives: synthesis, reactivity, structures and catalytic applications, 3
NLO properties
Synthesis and non-linear properties of conjugated poly-unsaturated amino carbene complexes, 111
NMR spectroscopy
Regioselective synthesis of π-complexes of substituted polycyclic aromatic compounds. Experimental (NMR) and theoretical (DFT) studies of η^6,η^6-haptotropic rearrangements in naphthalenechromiumtricarbonyl complexes, 136

Olefine oxidation
Bis-acetonitrile(dibromo)dioxomolybdenum(VI) and derivatives: synthesis, reactivity, structures and catalytic applications, 3
Olefins
Evidence for platinum(II)–vinylidene complexes and their reactions with water to give hydrocarbons and olefins, 131
Organohalide
Kinetic study of the alkylation of cyanide at $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$. Crystal structures of $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$ and *trans*-$[Re(CN)_2(dppe)_2]$, 56
Organometallic photochemistry
Synthesis, Nujol matrix and solution photochemistry of $M(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$ (where M = Cr or Mo): molecular structures of $Cr(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, $Mo(CO)_2[\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, and $Mo(CO)[P(C_6H_5)_3][\eta^5,\eta^3\text{-}C_5H_4\text{–}C(CH_3)_2\text{–}C_5H_6]$, 152
Oxide complexes
Bis-acetonitrile(dibromo)dioxomolybdenum(VI) and derivatives: synthesis, reactivity, structures and catalytic applications, 3

Palladium
Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94
Pentadienyl
Synthesis and characterization of a dimeric acetone coupling product with a titanium–pentadienyl complex, 42
μ-Phosphido
Synthesis of thiolate and phosphido bridged iron–manganese complexes; molecular structure of *cis*-$[FeMn(\mu\text{-}CO)(\mu\text{-}SEt)(CO)_2(Cp)(C_5H_4Me)]$, 28
η^2-Phosphinocarbene complexes
Polarity reversal in η^2-phosphinocarbene and η^2-arsinocarbene complexes of tungsten, 120
η^2-Phosphinomethanide complexes
Polarity reversal in η^2-phosphinocarbene and η^2-arsinocarbene complexes of tungsten, 120
Pi donation
Synthesis and characterization of a dimeric acetone coupling product with a titanium–pentadienyl complex, 42
Pincer complexes
Reactivity of a binuclear Ru(II) N_2-bridged complex towards phosphines: facile access to novel mono and binuclear phosphorous derivatives. X-ray structural characterization of two unusual binuclear complexes containing 'pincer' ligands: $[\{RuCl_2(\eta^3\text{-}NN'N)\}_2(\mu\text{-}\eta^2\text{-}P_2)]$ (NN'N = 2,6-bis[-(dimethylamino)methyl]pyridine; P_2 = 1,3-bis[(diphenylphosphino)methyl]benzene or 1,3-bis(diphenylphosphino)propane), 69
Platinum
Reactivity of keteylidenetriphenylphosphorane ($Ph_3PC{=}C{=}O$) with Pt(II) complexes. Evidences of formation of an up to now unknown bis-η^1-ketenyl derivative, 146
Platinum carbonyls
Reactions of zerovalent olefin complexes of platinum with carbon monoxide, 162
Platinum cluster
Reactions of zerovalent olefin complexes of platinum with carbon monoxide, 162
Platinum(II) complexes
Evidence for platinum(II)–vinylidene complexes and their reactions with water to give hydrocarbons and olefins, 131
Platinum olefin
Reactions of zerovalent olefin complexes of platinum with carbon monoxide, 162
Polyethylene
Synthesis and reactivity of new mixed dicyclopentadienyl Group 4 metal complexes with the doubly bridged bis(dimethylsilanediyl)-cyclopentadiene-(η^5-cyclopentadienyl) ligand, 86
Polymerization
New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11
Poly-unsaturated amides
Synthesis and non-linear properties of conjugated poly-unsaturated amino carbene complexes, 111
Poly-unsaturated aminocarbene complexes
Synthesis and non-linear properties of conjugated poly-unsaturated amino carbene complexes, 111
Potential radiopharmaceuticals
Synthesis of cyclopentadienyltricarbonylrhenium(I) carboxylic acid from perrhenate, 63

Quantum chemical calculations
Regioselective synthesis of π-complexes of substituted polycyclic aromatic compounds. Experimental (NMR) and theoretical (DFT) studies of η^6,η^6-haptotropic rearrangements in naphthalenechromiumtricarbonyl complexes, 136

Reactivity of ferrocenes
Metallation of alkynes: Part 10. Acetoxymercuration of arylferrocenylethynes, 80
Rhenium
Kinetic study of the alkylation of cyanide at $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$. Crystal structures of $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$ and *trans*-$[Re(CN)_2(dppe)_2]$, 56
The reactivity of complexed carbocycles XII: mono- and dimetallic cyclooctatetraene complexes of manganese and rhenium: synthesis, structure and dynamic behaviour, 47
Ruthenium complexes
Reactivity of a binuclear Ru(II) N_2-bridged complex towards phosphines: facile access to novel mono and binuclear phosphorous derivatives. X-ray structural characterization of two unusual binuclear complexes containing 'pincer' ligands: $[\{RuCl_2(\eta^3\text{-}NN'N)\}_2(\mu\text{-}\eta^2\text{-}P_2)]$ (NN'N = 2,6-bis[-(dimethylamino)methyl]pyridine; P_2 = 1,3-bis[(diphenylphosphino)methyl]benzene or 1,3-bis(diphenylphosphino)propane), 69

Stopped flow spectrophotometry
Kinetic study of the alkylation of cyanide at $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$. Crystal structures of $[NBu_4][trans\text{-}Re(CN)_2(dppe)_2]$ and *trans*-$[Re(CN)_2(dppe)_2]$, 56
Styrene
New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11

μ-Thiolate
Synthesis of thiolate and phosphido bridged iron–manganese complexes; molecular structure of *cis*-[FeMn(μ-CO)(μ-SEt)$(CO)_2$(Cp)(C_5H_4Me)], 28
Titanium
New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11
Synthesis and reactivity of new mixed dicyclopentadienyl Group 4 metal complexes with the doubly bridged bis(dimethylsilanediyl)-cyclopentadiene-(η^5-cyclopentadienyl) ligand, 86
Tricarbonylchromium complexes
Experimental evidence at atomic resolution of intra- and intermolecular CO$\cdots\pi$(arene) bond interactions, 126
Tridentate ligands
Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94

Unconventional bond interactions
Experimental evidence at atomic resolution of intra- and intermolecular CO$\cdots\pi$(arene) bond interactions, 126

Vinylidene
Evidence for platinum(II)–vinylidene complexes and their reactions with water to give hydrocarbons and olefins, 131
Visible light
Double metallation of a molecular tweezers with chromium and visible light-induced metal transfer into the cavity, 106
X-ray analyses
Kinetic study of the alkylation of cyanide at $[NBu_4]$[*trans*-$Re(CN)_2(dppe)_2$]. Crystal structures of $[NBu_4]$[*trans*-$Re(CN)_2(dppe)_2$] and *trans*-$[Re(CN)_2(dppe)_2]$, 56
X-ray diffraction
Double metallation of a molecular tweezers with chromium and visible light-induced metal transfer into the cavity, 106
X-ray features
Experimental evidence at atomic resolution of intra- and intermolecular CO$\cdots\pi$(arene) bond interactions, 126

Ylides
Reactivity of keteylidenetriphenylphosphorane ($Ph_3PC{=}C{=}O$) with Pt(II) complexes. Evidences of formation of an up to now unknown bis-η^1-ketenyl derivative, 146

Zirconium
Synthesis and reactivity of new mixed dicyclopentadienyl Group 4 metal complexes with the doubly bridged bis(dimethylsilanediyl)-cyclopentadiene-(η^5-cyclopentadienyl) ligand, 86